





















**Robertsfors
Försäljnings AB**

Fästelement

Kapitel 04 Spårskruvar




SPÅRSKRUVAR

		SIDA
	MFS DIN 963 4.8 FZB	4:1
	MKFS DIN 964 4.8 FZB	4:2
	MCS DIN 84 4.8 FZB	4:3
	MSCS DIN 85 4.8 FZB	4:4
	LKCS 4.8 FZB	4:5
	DKCS 4.8 FZB	4:5
	DKKS 4.8 FZB	4:5
	MFX DIN 965 4.8 FZB PHILLIPS	4:6
	MFX DIN 965 4.8 FZB POZIDRIVE	4:7
	MKFX DIN 966 4.8 FZB PHILLIPS	4:8
	MKFX DIN 966 4.8 FZB POZIDRIVE	4:9
	MRX DIN 7985 4.8 FZB PHILLIPS	4:10
	MRX DIN 7985 4.8 FZB POZIDRIVE	4:11
	MRXL ISO 7048 4.8 FZB PHILLIPS	4:12
	MRXK KOMBI 4.8 FZB PHILLIPS	4:12
	MFT ISO 14581 4.8 FZB	4:13
	MFT ISO 14581 8.8 FZB	4:13
	MRT ISO 14583 4.8 FZB	4:14
	MRT ISO 14583 8.8 FZB	4:14
	UFS 4.8 FZB	4:15
	WFS 4.8 FZB	4:15
	WKS 4.8 FZB	4:16
	ULCS 4.8 FZB	4:16



MFS

DIN 963 (~SS-ISO 2009)
STÅL 4.8 FÖRZINKAD



d	M2	M2,5	M3	M4	M5	M6	M8	M10	M12	M16
D	3,8	4,7	5,6	7,5	9,2	11	14,5	18	22	29
H	1,2	1,5	1,65	2,2	2,5	3	4	5	6	8
L	PRIS KRONOR PER 100 ST.									
3	290		530							
4	26	47	56							
5	26	28	29	58						
6	16	17	14	22	98					
8	17	17	11	23	25	98				
10	17	18	11	24	21	46	590			
12	17	19	14	25	22	35	169			
14	20	21	21	26	26	39	130			
16	21	22	22	27	27	39	93	260		
18		27	23	28	39	59	110	590		
20	61	28	24	29	39	42	95	290	1900	
22		53	27	34	40	55	120	650		
25	199	155	28	31	40	56	120	295	695	5570
30	260	167	30	32	49	59	129	310	710	5570
35			33	43	69	69	149	350	750	5700
40			38	44	70	75	155	380	790	6080
45			102	45	85	79	174	399	860	6270
50			104	46	87	95	177	450	955	6610
55			116	120	99	165	355	550	1700	
60			295	123	125	167	359	610	1100	7110
65				390	190	230	470	650	2500	
70				395	198	239	475	690	2900	7720
75				450	220	498	895			
80				490	222	356	510	859	3400	8590
90					290	590	650	940	3900	9450
100					596	595	790	1100	4600	10290
120							1900	6900		
130								16500		
150								17900		

BEST.EX: MFS STÅL 4.8 M2 x 3 FZB
DATA.EX: 963020031


Spårskruv levereras normalt helgängade

FÖRPACKNINGAR

ST	M2	M2,5	M3	M4	M5	M6	M8	M10	M12	M16
1000		6-22	3-40	5-25	6-16					
500		4-5	45-50	30-50	18-30	8-25				
200	3-30	25-30	55-60	55-80	35-50	30-50	10-30			
100					55-100	55-100	35-120	16-120	20-50	
50								130-150	55-100	25-100

MKFS

DIN 964 (~SS-ISO 2010)
STÅL 4.8 FÖRZINKAD



d	M2	M2,5	M3	M4	M5	M6	M8	M10
D	3,8	4,7	5,6	7,5	9,2	11	14,5	18
H	1,2	1,5	1,65	2,2	2,5	3	4	5
L	PRIS KRONOR PER 100 ST.							
4	94	61	95					
5	47	60	90	119				
6	31	23	29	86	149			
8	55	32	31	40	95	257		
10	57	33	39	42	65	189		
12		44	48	45	74	104		
14			59	48	85	119	290	
16		94	50	48	87	120	277	
18			59	59	88	174	345	
20		97	55	59	89	128	268	505
22				66	105	139		
25			66	66	108	140	333	570
30			96	128	138	154	368	575
35			120	130	149	173	432	625
40			170	134	155	188	585	659
45			180	152	186	253	590	707
50			194	163	190	298	595	755
55					214	310		
60				194	296	312	610	944
70				318	568	509	714	1990
80				417	590	575	812	
90					1900	1100		
100					1950	1120		

BEST.EX: MKFS STÅL 4.8 M2 x 4 FZB
DATA.EX: 964020041


Spårskruv levereras normalt helgängade

FÖRPACKNINGAR

ST	M2	M2,5	M3	M4	M5	M6	M8	M10
1000		4-20	4-40	5-25	6-16			
500			45-50	30-50	18-30	8-25		
200	4-10			60-80	35-50	30-50	14-30	
100					55-100	55-100	35-80	20-70

MCS

DIN 84 (SS-ISO 1207)
STÅL 4.8 FÖRZINKAD



d	M2	M2,5	M3	M3,5	M4	M5	M6	M8	M10
D	3,8	4,5	5,5	6	7	8,5	10	13	16
H	1,3	1,6	2	2,4	2,6	3,3	3,9	5	6
L	PRIS KRONOR PER 100 ST.								
3	58	76	59						
4	27	29	25		35				
5	22	24	19	69	25	130			
6	22	25	11	63	14	23	148		
8	24	26	11	54	14	21	46	590	
10	26	27	12	57	15	22	42	95	
12	27	28	13	61	15	23	39	90	590
14	27	28	13		17	27	41	90	
16	27	29	14	76	17	27	42	90	590
18	27	30	16		23	31	49	125	
20	28	30	17	121	23	31	49	125	190
22		32	18	132	24	35	52	135	490
25	125	49	19	135	25	35	52	135	287
30	129	78	26		29	42	69	144	294
35			29	151	37	49	79	160	366
40			39		42	55	87	185	385
45			58		51	59	99	199	470
50			69		59	69	115	210	471
55			95		75	139	160	270	534
60			370		77	140	164	275	534
65					99	169	190	320	609
70			390		110	170	195	360	1100
75			550		130	220	280	390	
80					140	227	287	390	1429
90					450	369	298	750	1500
100					490	490	380	844	1509
110							1600	1900	
120							2500		

BEST.EX: MCS STÅL 4.8 M2 x 3 FZB
DATA.EX: 84020031


Spårskruv levereras normalt helgängade

FÖRPACKNINGAR

ST	M2	M2,5	M3	M3,5	M4	M5	M6	M8	M10
1000		3-22	3-40		4-25	5-16	6-10		
500		25-30	45-75	5-35	30-50	18-30	12-25		
200	3-30				55-60	35-60	30-50	8-30	
100					65-100	65-100	55-120	35-100	12-70
50								110	80-100

MSCS

DIN 85 (SS-ISO 1580)
STÅL 4.8 FÖRZINKAD




d	M2,5	M3	M3,5	M4	M5	M6	M8
D	5	6	7	8	10	12	16
H	1,5	1,8	2,1	2,4	3	3,6	4,8
L	PRIS KRONOR PER 100 ST.						
3	59	39					
4	39	38		112			
5	37	38	53	59			
6	37	40	46	57	99	290	
8	37	42	46	64	79	155	
10	37	45	47	70	85	144	321
12	41	47	48	72	86	145	270
14	50	49		75	95	169	
16	49	56	64	75	95	172	149
18	53	63		90	99	178	
20	59	70	92	93	99	179	160
22	65	75		106	150		
25	70	76	97	107	151	186	595
30	99	99	101	124	174	253	690
35		110	167	190	190	262	695
40		126		204	216	279	700
45				210	218	476	914
50		182		215	264	480	966
55				303	441	490	1043
60		219		310	450	490	1159
65					627		
70				585	630	623	1302
80				791	942	908	1694
90					1428	990	1834
100					1554	995	
BEST.EX: MSCS STÅL 4.8 M2,5 x 3 FZB DATA.EX: 850250031							
<div style="border: 1px solid black; padding: 2px; display: inline-block;">Spårskruv levereras normalt helgängade</div>							

FÖRPACKNINGAR

ST	M2,5	M3	M3,5	M4	M5	M6	M8
500	3-30	3-60	5-35	4-40	6-40	6-40	
200				45-80	45-100	45-100	
100							10-90

LKCS, DKCS, DKKS

DRAGKNOPPSKRUV
STÅL 4.8 FÖRZINKAD




	LKCS* SMS 1624				DKCS* ~SMS 1624	DKKS* DIN 967-Sz-Z
d	M3	M4	M5	M6	M4	M4
D	6	8	10	12	9	10
H	1,6	2	2,5	3	2	3
L	PRIS KRONOR PER 100 ST.					
4	70					
5	70	80				98
6	70	50	107			
8	68	51	81	199	51	98
10	69	52	86	191		92
12	71	68	90	196		97
14		88	98			
15						110
16	80	92	98	203	92	
18						149
20		123	127	224	123	158
22			157			169
23		257			125	176
25		130	157		127	182
28			290			199
30						220
35			190		159	240
40			310			249
45					181	270
50	90		312			289
	* Rakt mejselspår				* Rakt mejselspår	* Kombikryss Spår & pozidrive
	Spårskruv levereras normalt helgängade					
	BEST.EX: LKCS STÅL 4.8 M3 x 4 FZB					
	DATA.EX: LKCS030041					

FÖRPACKNINGAR

ST	
1000	GÄLLER SAMTLIGA DIMENSIONER OVAN. I VISSA FALL KRÄVS MINIMIALTAL.

MFX

PHILLIPS
DIN 965 (~SS-ISO 7046)
STÅL 4.8 FÖRZINKAD



d	M2	M2,5	M3	M3,5	M4	M5	M6	M8	M10
D	3,8	4,7	5,6	6,5	7,5	9,2	11	14,5	18
H	1,2	1,5	1,65	1,93	2,2	2,5	3,0	4,0	5
L	PRIS KRONOR PER 100 ST.								
4	38	37	68						
5	40	32	23						
6	40	34	15	39	22	117			
8	42	34	16	43	23	28	196		
10	43	35	17	43	24	30	50	198	
12	45	38	18	46	26	32	55	198	
14			28	62	27	34	60	290	
16	46	43	19	75	27	35	60	144	867
18			37		44	36	63		
20	180	60	20	77	28	37	64	144	505
22			38		34	38	65	155	
25			24	84	35	39	66	156	527
30			30	109	39	46	67	171	575
35			57		44	56	94	184	650
40			58		51	60	103	184	659
45			158		69	69	130	215	707
50			239		75	96	134	236	755
55					79	180	190		
60					110	185	195	298	944
65								690	
70					756	240	260	695	
80					889	295	990	755	
90						680	1100	950	
100						750		1400	

BEST.EX: MFX STÅL 4.8 M2 x 4 FZB
DATA.EX: 965020041


Spårskruv levereras normalt helgängade

FÖRPACKNINGAR

ST	M2	M2,5	M3	M3,5	M4	M5	M6	M8	M10
1000			4-30		6-25	6-16			
500	4-20	4-20	35-50	6-30	30-60	18-30	8-25		
200					70-80	35-100	30-90	10-100	16-60

MFX

POZIDRIVE
DIN 965 (~SS-ISO 7046)
STÅL 4.8 FÖRZINKAD



d	M2	M2,5	M3	M4	M5	M6	M8
D	3,8	4,7	5,6	7,5	9,2	11	14,5
H	1,2	1,5	1,65	2,2	2,5	3,0	4,0
L	PRIS KRONOR PER 100 ST.						
4	38						
5	40	32	23	39			
6	40	34	15	22	48		
8	42	34	16	23	28		
10	43	35	17	24	30	50	
12	45	38	18	26	32	55	277
14			28	59	69	60	
16			19	27	35	60	144
18			37	44	36	99	
20			20	28	37	64	144
22			38	34	119	65	
25			29	35	39	66	156
30			30	39	46	67	171
35			57	44	56	94	220
40			99	51	60	103	270
45				69	69	196	
50				98	96	270	290
55					180	280	
60					310	485	298
70					390	490	
80						990	

BEST.EX: MFX STÅL 4.8 M2 x 4 FZB POZ
DATA.EX: 965020041Z


Spårskruv levereras normalt helgängade

FÖRPACKNINGAR

ST	M2	M2,5	M3	M4	M5	M6	M8
1000			5-30	5-25	6-16		
500	4-12	5-12	35-40	30-50	18-30	10-25	
200					35-70	30-80	12-60

MKFX

PHILLIPS
DIN 966 (~SS-ISO 7047)
STÅL 4.8 FÖRZINKAD




d	M2	M2,5	M3	M4	M5	M6	M8
D	3,8	4,7	5,6	7,5	9,2	11	14,5
H	1,2	1,5	1,65	2,2	2,5	3,0	4,0
L	PRIS KRONOR PER 100 ST.						
4	43						
5	37	37	38				
6	35	35	35	50			
8	50	35	36	48	89		
10		45	39	55	82	128	
12		46	40	64	88	130	
14			50	78	117	135	
16			55	78	126	162	327
18			59	99	155	257	
20			59	85	158	260	434
22				86	159	265	
25			113	88	160	270	641
30			116	113	167	334	753
35			186	192	220	335	791
40			288	192	230	337	950
45			290	240	265	378	960
50				324	389	627	980
55					390	690	990
60				330	451	735	1100
70					949	921	1200
80					1148	990	1400
BEST.EX: MKFX STÅL 4.8 M2 x 4 FZB							Spårskruv levereras normalt helgängade
DATA.EX: 966020041							

FÖRPACKNINGAR

ST	M2	M2,5	M3	M4	M5	M6	M8
1000		5-12	5-30	6-25	8-16		
500	4-8		35-45	30-60	18-30	10-25	
200					35-80	30-80	16-80

MKFX

POZIDRIVE
DIN 966 (~SS-ISO 7047)
STÅL 4.8 FÖRZINKAD



d	M3	M4	M5	M6
D	5,6	7,5	9,2	11
H	1,65	2,2	2,5	3,0
L	PRIS KRONOR PER 100 ST.			
6	35	50		
8	36	48		
10	39	55	82	128
12	40	64	88	130
14	50	78	117	135
16	55	78	126	162
18		99	155	257
20	59	85	158	260
22		86	159	265
25	113	88	160	270
30	116	113	167	334
35	186	192	220	335
40		192	230	337
45		240	265	378
50			389	627
60			451	
BEST.EX: MKFX STÅL 4.8 M3 x 6 FZB POZ DATA.EX: 966030061Z				
<div style="border: 1px solid black; padding: 2px; display: inline-block;">Spårskruv levereras normalt helgängade</div>				


FÖRPACKNINGAR

ST	M3	M4	M5	M6
1000	6-30	6-25	10-16	
500	35	30-45	18-30	10-25
200			35-60	30-50

BUFAB

MRX

PHILLIPS
DIN 7985 (~SS-ISO 7045)
STÅL 4.8 FÖRZINKAD



d	M2	M2,5	M3	M3,5	M4	M5	M6	M8	M10
D	4	5	6	7	8	10	12	16	20
H	1,6	2	2,4	2,7	3,1	3,8	4,6	6	7,5
L	PRIS KRONOR PER 100 ST.								
3	39	57							
4	19	38	19		36		320		
5	19	16	19		27				
6	19	16	12	38	15	29	198		
8	19	17	12	40	15	23	59		
10	19	18	13	49	16	24	49		
12	35	42	16	55	22	26	40	95	705
14		49	19		23	29	48	99	
16	42	56	19	95	23	29	49	95	900
18		59	20		27	37	55	160	
20	76	60	21	127	28	38	56	119	950
22			24		38	48	68	135	
25		71	25	129	38	48	69	125	980
30		108	29	166	39	49	79	145	1100
35			44		46	65	96	210	1250
40			48		48	69	108	290	1400
45			59		59	76	129	345	1450
50			95		77	79	135	575	1500
55					130	129	165	580	
60					135	175	170	590	1600
65					140	180	189		
70					145	198	195	650	
75					240		225		
80					245	210	225	980	
90					330	290	375		
100					890	360	395		
110					950				
150									

BEST.EX: MRX STÅL 4.8 M2 x 3 FZB
DATA.EX: 7985020031


Spårskruv levereras normalt helgängade

FÖRPACKNINGAR

ST	M2	M2,5	M3	M3,5	M4	M5	M6	M8	M10
1000			4-30		4-25	6-16			
500	3-20	3-30	35-50	6-30	30-40	18-30	4-25		
200					45-110	35-100	30-100	12-60	
100								70-80	12-60

MRX

POZIDRIVE
DIN 7985 (~SS-ISO 7045)
STÅL 4.8 FÖRZINKAD



d	M2	M2,5	M3	M4	M5	M6	M8
D	4	5	6	8	10	12	16
H	1,6	2	2,4	3,1	3,8	4,6	6
L	PRIS KRONOR PER 100 ST.						
3	59	70	149				
4	35	38	19	36			
5	37	16	19	27			
6	37	16	12	15	29	198	
8	38	17	12	15	23	79	
10	39	18	13	16	24	49	
12	45	42	16	22	26	40	174
14			19	23	29	48	
16		56	19	23	29	49	180
18			20	27	37	98	
20	126	60	21	28	38	56	195
22			24	38	48	110	
25		98	25	38	48	69	290
30			29	39	49	79	420
35			69	46	65	96	
40			78	48	69	108	490
45				95	76	129	
50				98	79	135	580
60			230	240	290	310	
70				750	780	945	
80					850	1190	
90					960		
100					1600		

BEST.EX: MRX STÅL 4.8 M2 x 3 FZB POZ
DATA.EX: 7985020031Z


Spårskruv levereras normalt helgängade

FÖRPACKNINGAR

ST	M2	M2,5	M3	M4	M5	M6	M8
1000			3-30	4-25	6-16		
500	3-20	3-25	35-60	30-40	18-30	6-25	
200				45-70	35-100	30-80	12-50

MRXL


PHILLIPS LITEN SKALLE
ISO 7048
STÅL 4.8 FZB



d	M2	M2,5	M3	M4	M5	M6
D	3,8	4,5	5,5	7	8,5	10
H	1,4	1,8	2,0	2,6	3,3	3,9
L	PRIS KRONOR PER 100 ST.					
3	55	51	73			
4	41	42	45	125		
5	43	40	43	77	146	
6	49	44	45	71	131	
8	40	45	49	77	127	202
10	44	49	51	88	135	209
12	94	47	54	79	146	214
16	67	66	61	102	170	270
20	80	94	77	118	182	310
25			90	129	230	306
30		183	137	156	287	356
35			208	263	391	427
40			234	444	304	447
50			178			
60				424	494	815
	BEST.EX: MRXL STÅL 4.8 M2 x 3 FZB			DATA.EX: 7048020031		

MRXK

PHILLIPS + SPÅR
KOMBI
STÅL 4.8 FZB




d	M2	M2,5	M3	M4	M5	M6
D	4	5	6	8	10	12
H	1,6	2,1	2,4	3,1	3,7	4,6
L	PRIS KRONOR PER 100 ST.					
3	79		94			
4	44		68	103		
5	53	56	56	90		
6	54	51	61	88	167	275
8	64	63	59	91	160	261
10	60	67	64	108	160	288
12	81	75	72	103	169	289
16		92	107	116	194	288
20		140	118	142	228	309
25			134	159	278	344
30			147	188	304	488
35				228		471
40				289	401	591
50					555	651
	BEST.EX: MRXK STÅL 4.8 M2 x 6 FZB			DATA.EX: 7985K020031		

FÖRPACKNINGAR

ST	M2	M2,5	M3	M4	M5	M6
1000			3-50	4-25	6-16	
500	3-20	3-30		30-60	20-30	6-25
200					40-60	30-60

MFT

TX-KRYSS
ISO 14581
STÅL 4.8 FÖRZINKAD




d	M3	M4	M5	M6
D	5,5	8,4	9,3	11,3
H	1,65	2,7	2,7	3,3
TX	T10	T20	T25	T30
L	PRIS KRONOR PER 100 ST.			
5	88			
6	89			
8	90	96	127	490
10	99	107		
12	140	110		
14	199			
16	149		155	
20				259
BEST.EX: MFT STÅL 4.8 M4 x 10 FZB DATA.EX: 14581040101				

M4 finns även med skallmått enligt DIN 965.

MFT

TX-KRYSS
ISO 14581
STÅL 8.8 FÖRZINKAD



d	M3	M4	M5	M6	M8	M10
D	5,5	8,4	9,3	11,3	15,8	18,3
H	1,65	2,7	2,7	3,3	4,6	5,0
TX	T10	T20	T25	T30	T45	T50
L	PRIS KRONOR PER 100 ST.					
5	109					
6	109	98				
8	131	104	141			
10	145	119	145	239		
12	151	122	159	245		
16	164	169	169	261	490	
20	169	182	177	264	510	
22					560	
25	290	199		279	590	910
30			360	390	640	
35				470		
40				480	690	
50				860	780	
55					990	
BEST.EX: MFT STÅL 8.8 M3 x 5 FZB DATA.EX: 145818030051						


M4 och M8 finns även med skallmått enligt DIN 965. TX-kryssset har då storlek 40 på M8-skraven.

FÖRPACKNINGAR

ST	M3	M4	M5	M6	M8	M10
1000	5-25	6-25	8-30	8		
500				10-50	16-55	
200						25

MRT


TX-KRYSS
ISO 14583
STÅL 4.8 FÖRZINKAD



d	M3	M4	M5	M6
D	5,6	8	9,5	12
H	2,4	3,1	3,7	4,6
TX	T10	T20	T25	T30
L	PRIS KRONOR PER 100 ST.			
4	60			
5	59			
6	48	65		
8	52	65	119	
10	56	71	121	198
12	61	79	126	198
14	62		196	
16	62	85	127	215
20	71	91	140	226
25	79	98	161	244
30		135	199	260
35		179	243	266
40			252	269
BEST.EX: MRT STÅL 4.8 M3 x4 FZB				
DATA.EX: 14583030041				

MRT

TX-KRYSS
ISO 14583
STÅL 8.8 FÖRZINKAD



d	M2	M2,5	M3	M4	M5	M6	M8
D	4	5	5,6	8	9,5	12	16
H	1,6	2,1	2,4	3,1	3,7	4,6	6
TX	T6	T8	T10	T20	T25	T30	T45
L	PRIS KRONOR PER 100 ST.						
3	69						
4		47	67				
5		45	65	95			
6		46	53	72	130		
8		54	58	73	132	390	
10		59	62	79	134	220	
12		63	68	88	140	220	1600
14			81	129			
16		68	69	94	141	239	950
20			79	101	156	251	990
22							995
25			88	111	179	271	995
30			94	150	222	239	998
35			119	190	270	520	1200
40				195	280	296	
45			190		330		1460
50						357	
60						560	
BEST.EX: MRT STÅL 8.8 M2,5 x 4 FZB					DATA.EX: 1458380250041		


M8-skruv kan även levereras med TX-40 kryss.

FÖRPACKNINGAR

ST	M2	M2,5	M3	M4	M5	M6	M8
1000	3	4-16	4-45	5-40	6-16	8	
500					20-45	10-25	
200						30-60	16-45

UFS/WFS

UNC-GÄNGA BS 1981
W-GÄNGA BS 450
STÅL 4.8 FÖRZINKAD



		UFS (UNC-GÄNGA)						
d	No10	1/4	5/16	3/8	1/2	5/8	3/4	
D	9,8	12,9	16,1	19,3	22,2	28,5	34,9	
H	2,9	3,9	4,9	5,8	5,7	7,6	9,4	
L	PRIS KRONOR PER 100 ST.							
6	840							
8	730	1520						
10	710	1495						
13	700	1063	2110					
16	750	1142	2090	3150				
19	780	1210	2310	3150	6760			
22	810	1265	2525	3860	6760			
25	880	1345	2680	3970	6365			
32	1140	1575	2960	4210	6700			
38	1675	1715	3244	4440	7810		17430	
45	1790	1960	3625	5060	8365			
51	2010	2180	3990	6050	8925	14400	20100	
57		2320	4385	6574	9480			
64		2460	4810	7180	10040	15200	21700	
70		2780	5224	7764				
76		3134	5646	8345	11524	18680	24700	
89			7331	10710	13500	23000		
102		4045	8174	11900	14330	25160		
	BEST.EX: UFS STÅL 4.8 No10 x 6 FZB				DATA.EX: 963U100061			


		WFS (WHITWORTH-GÄNGA)					
d	W1/8	W3/16	W1/4	W5/16	W3/8	W1/2	
D	5,6	8,3	11,1	13,9	16,7	22,2	
H	1,4	3,5	4	3,6	4,3	5,7	
L	PRIS KRONOR PER 100 ST.						
6		840					
8	340	730					
10	340	290					
13	360	290	440	2110			
16	380	310	470	2084			
19	461	320	476	2310	3150		
22		350	550				
25	540	366	557	2680	3970	6365	
32	662	480	660	2960	4210	6700	
38	812	710	717	3245	4440	7810	
45	956	850	900	3625	5060	8365	
51	1010	860	914	3990	6050	8925	
57		990	2317				
64			2460	4810	7180		
76			3135	5646	8345	11524	
89				7331	10710		
102				8174	11900	14330	
	BEST.EX: WFS STÅL 4.8 1/8 x 8 FZB				DATA.EX: 963W180081		

FÖRPACKNINGAR

ST	No10	1/8	3/16	1/4	5/16	3/8	1/2	5/8	3/4
1000	6-16		6-16						
500	19-32	8-25	19-32	8-25					
200	38-51	32-51	38-57	32-51	13-76	16-51			
100				57-102	89-102	57-102			
50							19-38		
25							45-102	51-102	38-76

WKS

WHITWORTH-GÄNGA
NORM: BS 450
STÅL 4.8 FÖRZINKAD




d	W1/8	W3/16	W1/4	W5/16
D	5,6	8,3	11,1	13,9
H	2,2	3,3	4,4	5,5
L	PRIS KRONOR PER 100 ST.			
6	610	840		
8	340	730	1518	
10	340	290	1495	
13	360	290	440	
16	380	310	470	2084
19	461	320	476	2310
22	510	360	550	2525
25	540	366	557	2680
32	662	480	660	2960
38	812	710	717	3245
45	956	790	900	3625
51	1010	860	914	3990
57			2317	
64			2460	4810
70				5224
76		950	3135	5646

BEST.EX: WKS STÅL 4.8 W1/8 x 6 FZB
DATA.EX: SRW180061

ULCS

UNC-GÄNGA
BS 1981
STÅL 4.8 FÖRZINKAD



d	1/4	5/16	3/8
D	12,5	15,6	18,8
H	3,6	4,5	5,3
L	PRIS KRONOR PER 100 ST.		
10	1495	2900	
13	1063	2110	3900
16	1142	2090	3150
19	1210	2310	3150
22	1265	2525	3860
25	1345	2680	3970
32	1575	2960	4210
38	1715	3244	4440
45	1960	3625	5060
51	2180	3990	6050
57			6574
64		4810	7180
70			7764
76			8345
83			8934
89		7331	10710
102		8174	11900

BEST.EX: ULCS STÅL 4.8 1/4 UNC x 10 FZB
DATA.EX: 85U140101

FÖRPACKNINGAR

ST	1/4	5/16	3/8	W 1/8	W 3/16	W 1/4	W 5/16
500	10-25			6-25	6-32	8-25	
200	32-51	10-32	13-51	32-51	38-76	32-76	16-32
100		38-102	57-102				38-76